

Serial No. 10/725,531

Attorney Docket No. 113708.130US1

LISTING OF CLAIMS:

1. (Currently amended) A method for managing a plurality of attributes in association with a plurality of electronic documents and a plurality of attribute types, implemented by a computer system, where an attribute type can have a plurality of attributes, the attributes and the attribute types are ordered in a tree-structure hierarchy, a document can be assigned a plurality of attribute types at a same and/or different level in the hierarchy, a document can be assigned a plurality of attributes for one attribute type, the documents are stored in a first data storage, the attributes are stored in a second data storage, and the first data storage and the second data storage are logically separate and different, said method comprising the at least one of sequential, non-sequential and sequence-independent steps in the computer system of:
- (A) providing a group of a plurality of documents including at least one document;
 - (B) providing at least one attribute type, having a plurality of attributes including selecting a plurality of attributes at least one attribute to be associated with the at least one document; and
 - (B) providing at least one document;
 - (C) associating for each of the selected attributes, automatically tagging, in the first data storage, the documents in the group including the at least one document, with the at least one each selected attribute, and determining at least one reference corresponding to the at least one document and with all attributes of all ancestors in the hierarchy of each selected attribute (D) associating at least one other document with the at least one attribute and determining at least one other reference corresponding to the at least one other document; and (E) storing, in the second data storage, respective

Serial No. 10/725,531

Attorney Docket No. 113708.130US1

references the at least one reference and the at least one other reference in association with the at least one each selected attribute and the ancestor attributes, for later retrieval of the at least one document and the at least one other document individual documents in the group, the respective references uniquely indicating respective individual documents in the first data storage,

wherein a document is a data record including a plurality of fields,

wherein the attribute and the attribute type can be different from the fields in the document and contents of the fields.

2. (Currently amended) The method of claim 1, ~~further comprising determining at least one~~wherein providing the group of documents includes selecting the documents included in the group of documents responsive to a user, the group including the at least one document and the at least one other document.

3. (Currently amended) The method of claim 2, further comprising the step of organizing the group of documents, wherein the documents are sorted for visual presentation organized by at least one of: at least one field therein, wherein the at least one field is different from the attribute and attribute type and at least one attribute and at least one attribute previously associated therewith.

4. (Original) The method of claim 2, wherein the group of documents omits a lapsed document.

5. (Currently amended) The method of claim 2, further comprising the step of assigning the at least one of the documents ~~document~~ to at least one other group.

6. (Original) The method of claim 1, wherein the at least one document is at least one of: XML format, binary format, image data, audio data, an interpretive file, and video data.

Serial No. 10/725,531

Attorney Docket No. 113708.130US1

7. (Currently amended) The method of claim 1, further comprising searching the second data storage for the at least one document~~documents~~ based on criteria including at least one of the ~~at least one attribute~~attributes and the ~~at least one~~a corresponding attribute type, and using the respective references in the second data storage to locate the documents in the first data storage.

8. (Currently amended) The method of claim 7, further comprising ~~accessing~~
retrieving the at least one document~~located documents from the first data storage -from~~
~~the at least one attribute and the at least one reference stored in association~~
~~therewith~~based on the respective references.

9. (Currently amended) The method of claim 8, further comprising displaying information characterizing the ~~at least one document~~documents.

10. (Currently amended) The method of claim 1, wherein ~~the at least one of the~~
attributes ~~attribute~~ is associated with at least one user, the at least one document being accessible by a plurality of users including the at least one user, further comprising limiting access to the at least one attribute to the at least one user associated therewith.

11. (Currently amended) The method of claim 1, wherein the ~~at least one attribute~~
attributes further can include~~includes~~ at least one of: a reference to a URL, a reference to an other file, and user-provided text.

12. (Currently amended) The method of claim 1, wherein the ~~at least one document~~
~~and the at least one other document are representative of at least one of~~documents
include: an invention disclosure document, a patent document, a trademark document, a copyright document, a product description document, a contract document, a license document, a sui generis protection document, a design registration document, a trade secret document, and an opinion document.

Serial No. 10/725,531

Attorney Docket No. 113708.130US1

13. (Currently Amended) The method of claim 1, further comprising preliminarily determining, for the ~~at least one attribute type~~types, the plurality of attributes ~~including the at least one attribute~~.
14. (Canceled)
15. (Currently amended) The method of claim 1, wherein the ~~at least one attribute~~ attributes are selected from a plurality of attribute types representative of at least one of: a product and a service.
16. (Original) The method of claim 15, wherein the plurality of attribute types further includes at least one of: an actor, a user entity, a current owner, and a project.
17. (Canceled)
18. (Currently amended) The method of claim 1, further comprising the step of exporting the tree structure hierarchy including the at least one attribute~~attributes~~ and the ~~plurality of attribute types~~.
19. (Currently amended) The method of claim 1, further comprising utilizing the ~~at least one attribute~~ attributes as criteria for at least one of searching, retrieving, reporting, and viewing the at least one document.
20. (Currently amended) The method of claim 19, wherein the ~~at least one attribute~~ attributes can be utilized in combination with ~~at least one of~~: (i) ~~the at least one of the~~ attribute ~~types~~, (ii) at least one sub-type of the at least one attribute type, (iii) a content of at least one field in the at least one document; (iv) a type of at least one field in the at least one document; and (vi) information derived from the at least one field in the at least one document.

Serial No. 10/725,531

Attorney Docket No. 113708.130US1

21. (Currently amended) The method of claim 1, wherein the ~~at least one reference~~
~~corresponds~~respective references correspond to the serial ~~number~~numbers of the ~~at least~~
~~one document~~respective documents.

22. (Currently amended) A method for managing a plurality of attributes in
association with a plurality of electronic documents and a plurality of attribute types,
implemented by a computer system, where an attribute type can have a plurality of
attributes, the attributes and the attribute types are ordered in a tree-structure hierarchy, a
document can be assigned a plurality of attribute types at a same and/or different level in
the hierarchy, a document can be assigned a plurality of attributes for one attribute type,
the documents are stored in a first data storage, the attributes are stored in a second data
storage, and the first data storage and the second data storage are logically separate and
different, said method comprising the at least one of sequential, non-sequential and
sequence-independent steps in the computer system of:

(A) providing a group of a plurality of documents including at least one
document;

(B) providing at least one attribute type, having a plurality of attributes
including at least one attribute selecting a plurality of attributes to be associated with the
at least one document;

~~(B) providing at least one document;~~

(C) associating for each of the selected attributes, automatically tagging, in the
first data storage, the documents in the group including the at least one document, with
the at least one each selected attribute and with all attributes of all ancestors in the
hierarchy of each selected attribute; and, and determining at least one reference
corresponding to the at least one document; (D) ~~associating at least one other~~

Serial No. 10/725,531

Attorney Docket No. 113708.130US1

~~document with the at least one attribute and determining at least one other reference~~
~~corresponding to the at least one other document; and~~ ~~—— (E) ——~~ ~~storing, in the second~~
~~data storage, respective references the at least one reference and the at least one other~~
~~reference in association with the at least one~~ each selected attribute and the ancestor
~~attributes, for later retrieval of at least one of the at least one document and the at least~~
~~one other document~~ individual documents in the group, the respective references uniquely
indicating respective individual documents in the first data storage; and

~~(F)(D)~~ wherein the at least one document and the at least one other document are
 representative of at least one of: an invention disclosure document, a patent document, a
 trademark document, a copyright document, a product description document, a contract
 document, a license document, a sui generis protection document, a design registration
 document, a trade secret document, and an opinion document,

wherein a document is a data record including a plurality of fields,

wherein the attribute and the attribute type can be different from the fields in the
document and contents of the fields.

23. (Currently amended) The method of claim 22, ~~further comprising determining at~~
~~least one~~ wherein providing the group of documents includes selecting the documents
included in the group of documents responsive to a user, the group including the at least
~~one document, wherein the group of documents omits a lapsed document.~~

24. (Currently amended) The method of claim 22, further comprising searching the
second data storage for the at least one document documents based on criteria including at
 least one of the ~~at least one attribute~~ attributes and the ~~at least one~~ a corresponding
attribute type, and using the respective references in the second data storage to locate the
documents in the first data storage.

Serial No. 10/725,531

Attorney Docket No. 113708.130US1

25. (Currently amended) The method of claim 22, wherein the ~~at least one attribute~~ is attributes are selected from a plurality of attribute types representative of at least one of: a product and a service.
26. (Canceled)
27. (Currently amended) The method of claim 22, further comprising utilizing the ~~at least one attribute~~ attributes as criteria for at least one of searching, retrieving, reporting, and viewing the at least one document.
28. (Currently amended) The method of claim 27, wherein the ~~at least one attribute~~ is attributes can be utilized in combination with ~~at least one of~~: (i) the ~~at least one~~ attribute typetypes, (ii) at least one sub-type of the at least one attribute type, (iii) a content of at least one field in the at least one document; (iv) a type of at least one field in the at least one document; and (vi) information derived from the at least one field in the at least one document.
29. (Currently amended) The method of claim 22, wherein the ~~at least one reference~~ corresponds respective references correspond to the ~~serial number~~ serial number numbers of the ~~at least one document~~ respective documents.
30. (Currently amended) A computer program product, for use in managing a plurality of attributes in association with a plurality of electronic documents and a plurality of attribute types, stored in connection with at least one computer system, wherein an attribute type can have a plurality of attributes, the attributes and the attribute types are ordered in a tree-structure hierarchy, a document can be assigned a plurality of attribute types at a same and/or different level in the hierarchy, a document can be assigned a plurality of attributes for one attribute type, the documents are stored in a first data storage, the attributes are stored in a second data storage, and the first data storage

Serial No. 10/725,531

Attorney Docket No. 113708.130US1

and the second data storage are logically separate and different, said computer program product comprising:

(A) at least one computer readable medium, readable by the at least one computer system;

(B) instructions, provided on the at least one computer readable medium, for providing a group of a plurality of documents including at least one document;

~~(B)(C)~~ instructions, provided on the at least one computer readable medium, for providing at least one attribute type, having a plurality of attributes including at least one attributeselecting a plurality of attributes to be associated with the at least one document; and

~~(C)~~ instructions, provided on the at least one computer readable medium, for providing at least one document;

(D) instructions, provided on the at least one computer readable medium, for each of the selected attributes, for automatically tagging, in the first data storage, the documents in the group including for associating the at least one document, with the at least one each selected attribute, and determining at least one reference corresponding to the at least one document and with all attributes of all ancestors in the hierarchy of each selected attribute; ~~(E) instructions, provided on the at least one computer readable medium, for associating at least one other document with the at least one attribute and determining at least one other reference corresponding to the at least one other document;~~ and ~~(F) instructions, provided on the at least one computer readable medium, for storing, in the second data storage, respective references the at least one reference and the at least one other reference in association with the at least one each selected attribute and the ancestor attributes,~~ for later retrieval of at least one of the at least one document and the

Serial No. 10/725,531

Attorney Docket No. 113708.130US1

~~at least one other document~~individual documents in the group, the respective references uniquely indicating respective individual documents in the first data storage;

(G)(E) wherein the at least one document and the at least one other document are representative of at least one of: an invention disclosure document, a patent document, a trademark document, a copyright document, a product description document, a contract document, a license document, a sui generis protection document, a design registration document, a trade secret document, and an opinion document,

wherein a document is a data record including a plurality of fields,

wherein the attribute and the attribute type can be different from the fields in the document and contents of the fields.

31. (Currently amended) The computer program product of claim 30, further comprising instructions, provided on the at least one computer readable medium, for ~~determining at least one wherein~~ providing the group of documents includes selecting the documents included in the group of documents responsive to a user, the group including the at least one document, wherein the group of documents omits a lapsed document.

32. (Currently amended) The computer program product of claim 30, further comprising instructions, provided on the at least one computer readable medium, for searching the second data storage for the at least one document~~documents~~ based on criteria including at least one of the at least one attribute~~attributes~~ and the at least one a corresponding attribute type, using the respective references in the second data storage to locate the documents in the first data storage.

Serial No. 10/725,531

Attorney Docket No. 113708.130US1

33. (Currently amended) The computer program product of claim 30, wherein the ~~at least one attribute is~~ attributes are selected from a plurality of attribute types representative of at least one of: a product and a service.

34. (Canceled)

35. (Currently amended) The computer program product of claim 30, further comprising instructions, provided on the at least one computer readable medium, for utilizing the ~~at least one attribute~~ attributes as criteria for at least one of searching, retrieving, reporting, and viewing the at least one document.

36. (Currently amended) The computer program product of claim 35, wherein the ~~at least one attribute is~~ attributes can be utilized in combination with ~~at least one of~~: (i) the at least one of the attribute type types, (ii) at least one sub-type of the at least one attribute type, (iii) a content of at least one field in the at least one document; (iv) a type of at least one field in the at least one document; and (v) information derived from the at least one field in the at least one document.

37. (Currently amended) The computer program product of claim 30, wherein the ~~at least one reference corresponds~~ respective references correspond to the serial ~~number~~ numbers of the ~~at least one document~~ respective documents.

38. (Currently amended) A system, implemented on at least one computer, for managing a plurality of attributes in association with a plurality of electronic documents and a plurality of attribute types, where an attribute type can have a plurality of attributes, the attributes and the attribute types are ordered in a tree-structure hierarchy, a document can be assigned a plurality of attribute types at a same and/or different level in the hierarchy, a document can be assigned a plurality of attributes for one attribute type, the documents are stored in a first data storage, the attributes are stored in a second data

Serial No. 10/725,531

Attorney Docket No. 113708.130US1

storage, and the first data storage and the second data storage are logically separate and different, said system comprising:

(A) means, in the at least one computer, for providing a group of a plurality of documents including at least one document;

(B) means, in the at least one computer, for providing at least one attribute type, having a plurality of attributes including at least one attribute, selecting a plurality of attributes to be associated with the at least one document; and

(B) means, in the at least one computer, for providing at least one document;

(C) means, in the at least one computer, for each of the selected attributes, for associating automatically tagging, in the first data storage, the documents in the group including the at least one document, with the at least one each selected attribute and with all attributes of all ancestors in the hierarchy of each selected attribute, and determining at least one reference corresponding to the at least one document; (D) means, in the at least one computer, for associating at least one other document with the at least one attribute and determining at least one other reference corresponding to the at least one other document; and (E) means, in the at least one computer, for storing, in the second data storage, respective references the at least one reference and the at least one other reference in association with the at least one each selected attribute and the ancestor attributes, for later retrieval of at least one of the at least one document and the at least one other document individual documents in the group, the respective references uniquely indicating respective individual documents in the first data storage;

(F)(D) wherein the at least one document and the at least one other document are representative of at least one of: an invention disclosure document, a patent document, a trademark document, a copyright document, a product description document, a contract

Serial No. 10/725,531

Attorney Docket No. 113708.130US1

document, a license document, a sui generis protection document, a design registration document, a trade secret document, and an opinion document,

wherein a document is a data record including a plurality of fields.

wherein the attribute and the attribute type can be different from the fields in the document and contents of the fields.

39. (Currently amended) The system of claim 38, ~~further comprising means, in the at least one computer, for determining wherein the means for providing the group of documents includes selecting the documents included in the at least one group of documents responsive to a user, the group including the at least one document, wherein the group of documents omits a lapsed document.~~

40. (Currently amended) The system of claim 38, further comprising means, in the at least one computer, for searching the second data storage for the at least one document~~documents~~ based on criteria including at least one of the ~~at least one attribute~~attributes and ~~the at least one a corresponding attribute type, and using the respective references in the second data storage to locate the documents in the first data storage.~~

41. (Currently amended) The system of claim 38, ~~whercin the at least one attribute is~~ attributes are selected from a plurality of attribute types representative of at least one of: a product and a service.

42. (Canceled)

43. (Currently amended) The system of claim 38, further comprising utilizing the ~~at least one attribute~~attributes as criteria for at least one of searching, retrieving, reporting, and viewing the at least one document.

Serial No. 10/725,531

Attorney Docket No. 113708.130US1

44. (Currently amended) The ~~method-system~~ of claim 43, wherein the ~~at least one attribute is~~attributes are utilized in combination with ~~at least one of~~: (i) the ~~at least one attribute type~~types, (ii) at least one sub-type of the at least one attribute type, (iii) a content of at least one field in the at least one document; (iv) a type of at least one field in the at least one document; and (vi) information derived from the at least one field in the at least one document.

45. (Currently amended) The system of claim 38, wherein the ~~at least one reference corresponds~~respective references correspond to the serial ~~number~~numbers of the ~~at least one document~~respective documents.